

基本尺寸(mm)							载荷(kN)		极限转速(rpm)		轴承型号	质量(kg)
d	D	B	r _{1.2min}	r _{3.4min}	Fw	Ew	Cr	Cor	脂润滑	油润滑		参考
									Grease	Oil		Refer.
100	180	34	2.1	2.1		160	190	260	3200	3800	N220M	3.45
100	180	34	2.1	2.1	119		190	260	3200	3800	NJ220EM	3.90
100	180	34	2.1	2.1		160	190	260	3200	3800	NF220M	3.55
100	180	34	2.1	2.1	120		190	260	3200	3800	NU220M	5.20
100	180	34	2.1	2.1	119		190	260	3200	3800	NJ220EM	3.90
100	180	46	2.1	2.1	120		260	390	3200	3800	NU2220M	5.20
100	215	47	3	3	127.5		380	470	2400	3000	NU320EM	8.35
100	215	47	3	3		191.5	380	470	2400	3000	N320EM	9.67
100	215	73	3	3		185.5	440	630	2400	3000	N2320M	13.1
100	215	73	3	3	129.5		440	630	2400	3000	NU2320M	13.2
100	215	73	3	3	129.5		440	630	2400	3000	NJ2320M	13.5
105	160	26	2	1.1	119.5	145.5	120	176	4000	4800	NF1021M	1.93
105	160	26	2	1.1		145.5	120	176	4000	4800	N1021M	1.82
105	190	36	2.1	2.1		168.8	210	290	3000	3600	N221M	4.33
105	190	36	2.1	2.1	126.8		210	290	3000	3600	NJ221M	4.34
105	225	49	3	3		201	420	550	2200	2800	N321EM	10.5
105	225	49	3	3	133		420	550	2200	2800	NU321EM	10.6
105	260	60	4	4		220.5	550	700	2200	2800	N421M	17.2
110	170	28	2	1.1		155	148	203	3800	4500	N1022M	2.31
110	170	28	2	1.1	125		148	203	3800	4500	NU1022M	2.32
110	170	28	2	1.1	125		148	203	3800	4500	NJ1022M	2.39
110	200	38	2.1	2.1		178.5	255	340	2800	3400	N222M	5.02
110	200	38	2.1	2.1	132.5		255	340	2800	3400	NU222M	5.05
110	200	38	2.1	2.1	132.5		255	340	2800	3400	NJ222M	5.10
110	200	53			132		380	520	2800	3400	NU2222EC	7.73
110	240	50	3	3		211	430	540	2000	2600	N322EM	11.4
110	240	50	3	3	143	207	400	525	2000	2600	NU322M	11.6
110	240	50	3	3	143	207	400	525	2000	2600	NJ322M	11.8
110	240	80	3	3	143		620	800	2000	2600	NU2322EM	18.3
110	280	65	4	4		235	580	735	2000	2600	N422M	21.8
110	280	65	4	4	155		580	735	2000	2600	NU422M	22.0
110	280	65	4	4	155		580	735	2000	2600	NJ422M	22.3
120	180	28	2	1.1	135		139	210	3400	4000	NU1024M	2.96
120	180	28	2	1.1	135		139	210	3400	4000	NJ1024M	3.09
120	215	40	2.1	2.1		191.5	286	400	2400	3000	N224M	6.11
120	215	40	2.1	2.1	143.5		335	420	2400	3000	NU224EM	6.27
120	215	40	2.1	2.1	143.5		335	420	2400	3000	NJ224EM	6.72
120	215	58	2.1	2.1		191.5	360	550	2400	3000	N2224M	8.92
120	215	58	2.1	2.1	143.5		430	585	2400	3000	NU2224M	9.31
120	215	58	2.1	2.1	143.5		430	585	2400	3000	NJ2224M	9.46
120	215	58	2.1	2.1		195.5	410	620	2400	3000	NF2224EM	9.72
120	260	55	3	3		226	500	650	1900	2400	N324M	15.1
120	260	55	3	3		226	476	605	1900	2400	NF324M	14.3
120	260	55	3	3	154		530	610	1900	2400	NU324EM	15.4
120	260	86	3	3		226	680	980	1900	2400	N2324M	23.9
120	260	86	3	3	154		795	1030	1900	2400	NU2324EM	23.1
120	260	86	3	3	154		795	1030	1900	2400	NJ2324EM	23.4
120	310	72	5	5		260	710	920	1900	2400	N424M	29.0
120	310	72	5	5	170		710	920	1900	2400	NU424M	29.1
120	310	72	5	5	170		710	920	1900	2400	NJ424M	29.7
120	200	33	2	1.1		182	180	280	3200	3800	N1026M	4.52
120	200	33	2	1.1	148		180	280	3200	3800	NU1026M	4.66
120	230	40	3	3	153.5		345	425	2200	2800	NU226EM	7.90
120	230	40	3	3	153.5		290	410	2200	2800	NJ226EM	7.38
120	230	64	3	3		204	400	630	2200	2800	N2226M	11.6
120	230	64	3	3	153.5		530	735	2200	2800	NU2226EM	12.5
120	230	64	3	3	153.5		530	735	2200	2800	NJ2226EM	12.9
120	240	72			158		630	850	2200	2800	NJ2226X3	14.8
120	280	58	4	4		243	550	720	1800	2200	N326M	17.8

120	280	58	4	4	167		615	735	1800	2200	NU326EM	19.3
120	280	58	4	4	167		615	735	1800	2200	NJ326EM	19.5
120	280	93				243	920	1230	1800	2200	N2326EM	29.0
120	280	93	4	4	167		920	1230	1800	2200	NU2326EM	28.7
120	280	93	4	4	167		920	1230	1800	2200	NJ2326EM	28.9
120	280	93	4	4	167		920	1230	1800	2200	NUP2326M	30.5
120	210	53	2	2	158		330	630	2600	3400	NU3028M	7.64
120	225	68	2.1	2.1	162.5		390	625	2600	3400	NU3128M	10.6
120	250	42	3	3		221	345	490	2400	3000	N228M	9.14
120	250	42	3	3	169		395	515	2400	3000	NU228EM	9.36
120	250	42	3	3	169		395	515	2400	3000	NJ228EM	9.43
120	250	42	3	3	169		345	490	2400	3000	NUP228M	9.51
120	250	68	3	3	169		550	790	2000	2600	NU2228EM	15.9
120	250	68	3	3	169		475	760	2000	2600	NJ2228M	14.8
120	300	62	4	4		263.6	610	805	1900	2400	N328M	21.9
120	300	62	4	4		260	610	805	1900	2400	NF328M	22.8
120	300	62	4	4	180		665	880	1800	2200	NU328EM	23.7
120	300	62	4	4	180		610	805	1800	2200	NUP328M	24.5
120	300	102	4	4		260	880	1300	1800	2200	N2328M	34.6
120	300	102	4	4	180		1020	1380	1800	2200	NU2328EM	35.8
120	300	102	4	4	180		1020	1380	1800	2200	NJ2328EM	41.0
120	360	82	5	5	196		896	998	1700	2000	NJ428M	46.3
150	210	28	2	1.1	165		164	252	2600	3200	NU1930M	2.98
150	210	36	2	1.1	165		204	335	2600	3200	NU2930M	3.83
150	225	35	2.1	1.5	169.5		202	294	2600	3200	NU1030M	4.94
150	225	35	2.1	1.5	169.5		202	294	2600	3200	NJ1030M	5.05
150	270	45	3	3		238	395	580	2000	2600	N230M	11.6
150	270	45	3	3	182		450	595	1900	2400	NU230EM	12.5
150	270	45	3	3	182		450	595	1900	2400	NJ230EM	12.7
150	270	45	3	3	182		450	595	1900	2400	NUP230EM	13.0
150	270	73	3	3	182		635	930	1900	2400	NU2230EM	19.9
150	270	73/143	3	3	182		635	930	1900	2400	NU2230EWB	23.3
150	270	73	3	3	182		635	930	1900	2400	NJ2230EM	21.4
150		65	4	4		277	715	890	1700	2000	RN330	16.1
150	320	65	4	4		280.8	715	890	1700	2000	N330M	26.5
150	320	65	4	4	193		750	1020	1700	2000	NU330EM	26.8
150	320	65	4	4	193		750	1020	1700	2000	NJ330EM	27.2
150	320	65	4	4	193		680	920	1700	2000	NUP330M	27.4
150	320	65/108	4	4	193		715	890	1700	2000	NU330-113	29.6
150	320	108	4	4	193		1160	1600	1700	2000	NU2330EM	41.5
150	320	108	4	4	193		1160	1600	1700	2000	NJ2330EM	42.4
150	320	108	4	4	193		1160	1600	1700	2000	NF2330EM	43.6
150	320	128	4	4	193		1250	1900	1400	1800	NU3330M	49.9
150	320	128	4	4	193		1250	1900	1400	1800	NJ3330M	51
160	220	36	2	2	173		240	450	2500	3200	NU2932M	4.08
160	220	36	2	2	173		240	450	2500	3200	NJ2932M	4.17
160	240	38	2.1	2.1	180		238	340	2400	3000	NU1032M	5.96
160	240	38	2.1	2.1	180		238	340	2400	3000	NJ1032M	6.13
160	290	48	3	3		257	460	650	1800	2200	N232M	14.3
160	290	48	3	3	193		500	665	1800	2200	NU232EM	14.8
160	290	48	3	3	195		500	665	1800	2200	NJ232EM	14.6
160	290	48	3	3	193		500	665	1800	2200	NUP232EM	15.5
160	290	80	3	3	193		810	1190	1800	2200	NU2232EM	24.2
160	340	68	4	4		292	705	995	1500	1800	N332M	30.63
160	340	68	4	4	204		860	1050	1500	1800	NU332EM	33.0
160	340	68	4	4	204		860	1050	1500	1800	NJ332EM	33.6
160	340	114	4	4		292	1080	1650	1500	1800	N2332M	51.6
160	340	114	4	4	204		1310	1820	1500	1800	NU2332EM	56.5
160	340	136	4	4	208		1240	1850	1500	1800	NU3332M	63.0
170	215	34	1.1	1	181.5		187	385	2500	3200	NU3834M	2.99
170	230	36	2	1.1	185		211	360	2500	3200	NU2934M	4.24
170	260	42	2.1	2.1	193		287	415	2200	2800	NU1034M	8.23
170	260	42	2.1	2.1	193		287	415	2200	2800	NJ1034M	8.46

170	260	67	2. 1	2. 1	193		510	875	2200	2800	NU3034M	13. 4
170	280	88	2. 1	2. 1	200		665	1080	2000	2400	NU3134M	22
170	310	52	4	4		272	520	780	1800	2200	N234M	18. 2
170	310	52	4	4	208		475	635	1800	2200	NU234EM	17. 7
170	310	52	4	4	208		475	635	1800	2200	NJ234EM	18. 1
170	310	86	4	4	205		925	1330	1800	2200	NU2234EM	31. 5
170	310	110	4	4	208		915	1470	1800	2200	NU3234M	37. 9
170	360	72	4	4		310	795	1010	1400	1700	N334M	37. 3
170	360	72	4	4	220		795	1010	1400	1700	NU334M	37. 7
170	360	72	4	4	220		795	1010	1400	1700	NJ334M	38. 4
170	360	86	4	4	205		960	1500	1800	2200	NU2234EM	29. 0
170	360	120	4	4	220		1220	1750	1400	1700	NU2334M	63. 7
170	360	120	4	4	220		1220	1750	1400	1700	NJ2334M	64. 7
170	360	140	4	4	220		1350	1980	1400	1700	NU3334M	72. 1
180	225	34	2. 1	2. 1	191. 5		192	405	2200	2800	NU3836M	3. 15
180	250	33	2. 1	2. 1	198		219	355	2200	2800	NU1936M	4. 92
180	250	42	2. 1	2. 1	198		255	430	2200	2800	NU2936M	6. 18
180	280	46	2. 1	2. 1	205		380	565	1800	2400	NU1036EM	10. 2
180	280	46	2. 1	2. 1	205		380	565	1800	2400	NJ1036EM	10. 8
180	280	74	2. 1	2. 1	206		365	955	1800	2400	NU3036M	17. 4
180	320	52	4	4	217		625	850	1700	2000	NU236EM	18. 0
180	320	52	4	4	217		625	850	1700	2000	NJ236EM	18. 6
180	320	52	4	4	217		625	850	1700	2000	NUP236EM	21. 4
180	320	86	4	4	215		1010	1510	1700	2000	NU2236EM	30. 3
180	320	86	4	4	215		1010	1510	1700	2000	NJ2236EM	31. 0
180	320	86	4	4	215		960	1580	1700	2000	NUP2236M	32. 1
180	320	112	4	4	218		950	1560	1700	2000	NU3236M	39. 6
180	380	75	4	4		330	910	1150	1500	1800	N336M	39. 6
180	380	75	4	4	230		910	1150	1500	1800	NU336M	43. 5
180	380	126	4	4	232		1380	1990	1300	1600	NU2336M	68. 9
180	380	126	4	4	232		1380	1990	1300	1600	NJ2336M	69. 5
180	380	150	4	4	232		1600	2410	1300	1600	NU3336M	86. 4
190	240	30	2. 1	2. 1	203		180	355	2200	2800	NU2838M	3. 22
190	260	42	2. 1	2. 1	208		260	450	2200	2800	NU2938M	6. 42
190	290	46	2. 1	2. 1	215		365	535	2000	2600	NU1038M	10. 7
190	290	75	2. 1	2. 1	219		565	1010	1800	2200	NU3038M	18. 3
190	340	55	4	4	230		695	955	1600	1900	NU238EM	21. 6
190	340	55	4	4	230		695	955	1600	1900	NJ238EM	22. 0
190	340	55	4	4	230		695	955	1600	1900	NUP238EM	22. 3
190	340	92	4	4	228		1100	1670	1600	1900	NU2238EM	39. 5
190	340	120	4	4	231		1070	1780	1400	1600	NU3238M	49. 3
190	400	78	5	5		345	975	1260	1200	1500	N338M	48. 5
190	400	78	5	5	245		975	1260	1200	1500	NU338M	50. 2
190	400	78	5	5	245		975	1260	1200	1500	NJ338M	49. 4
190	400	132	5	5	245		1520	2220	1200	1500	NU2338M	84. 9
190	400	155	5	5	245		1730	2630	1200	1500	NU3338M	99. 2
200	280	38	2. 1	2. 1	220		268	425	2200	2800	NU1940M	7. 22
200	280	48	2. 1	2. 1	220		365	630	2200	2800	NU2940M	9. 24
200	280	48	2. 1	2. 1	222		365	630	2200	2800	NJ2940M	9. 70
200	310	51	2. 1	2. 1	227		450	720	1900	2400	NU1040M	14. 3
200	310	51	2. 1	2. 1	227		450	720	1900	2400	NJ1040EM	14. 7
200	340	112	3	3	233		1190	1850	1900	2400	NU3140M	41. 4
200	360	58	4	4		316	675	995	1500	1800	N240M	26. 7
200	360	58	4	4	243		765	1060	1500	1800	NU240EM	26. 8
200	360	58	4	4	244		765	1060	1500	1800	NJ240EM	27. 1
200	360	58	4	4	244		765	1060	1500	1800	NUP240EM	28. 2
200	360	98	4	4		325	1220	1870	1500	1800	N2240EM	44. 9
200	360	98	4	4	241		1220	1870	1500	1800	NU2240EM	45. 1
200	360	98	4	4	244		960	1600	1500	1800	NJ2240M	45. 5
200	360	128	4	4	244		1100	1810	1500	1800	NU3240M	58
200	420	80	5	5	260		975	1270	1500	1800	NU340M	56. 8
200	420	138	5	5		364	1620	2640	1200	1500	N2340M	94. 5
200	420	138	5	5	260		1510	2240	1200	1500	NU2340M	96. 8

200	420	165	5	5	260		1730	2660	1200	1500	NU3340M	115
220	300	38	2. 1	1. 5	240	280	295	495	1900	2400	NU1944M	7. 88
220	300	48	2. 1	1. 5	240	280	370	660	1900	2400	NU2944M	9. 93
220	340	56	3	3	250		500	750	1800	2200	NU1044M	18. 2
220	340	56	3	3	250		500	750	1800	2200	NJ1044M	19. 6
220	400	65	4	4		350	760	1200	1500	1800	N244M	36. 7
220	400	65	4	4	270		760	1200	1500	1800	NU244M	34. 7
220	400	65	4	4	270		760	1200	1500	1800	NJ244M	35. 4
220	400	108	4	4	270		1140	1810	1300	1600	NU2244M	61. 8
220	400	108	4	4	270		1140	1810	1300	1600	NJ2244M	63. 0
220	460	145	5	5		407	1780	2620	1000	1300	N2344EM	114. 0
220	460	145	5	5	284		1780	2620	1000	1300	NU2344EM	120. 0
220	460	180			284		2130	3300	800	1100	NU3344M/HC	140. 6
240	320	38	2. 1	2. 1	260		315	550	2000	2400	NU1948M	8. 68
240	320	48	2. 1	2. 1	260		385	710	2000	2400	NU2948M	10. 7
240	360	56	3	3	270		530	820	1700	2000	NU1048M	21. 2
240	440	72	4	4	295		985	1540	1300	1600	NU248M	46. 9
240	440	72	4	4	295		935	1340	1300	1600	NJ248M	51. 0
240	440	72	4	4	295		935	1340	1300	1600	NUP248M	51. 4
240	440	120	4	4	295		1440	2320	1000	1300	NU2248M	84. 9
240	440	120	4	4	295		1440	2320	1000	1300	NJ2248M	86. 7
240	500	95	5	5		430	1400	2200	1000	1300	N348M	94. 6
240	500	95	5	5	310		1400	2200	1000	1300	NU348M	96. 3
240	500	155	5	5	310		2000	2990	1000	1300	NU2348M	152
260	360	46	2. 1	2. 1	286		435	760	1900	2200	NU1952M	14. 4
260	360	60	2. 1	2. 1	286		535	995	1900	2200	NU2952M	18. 6
260	400	65	4	4	296		645	1000	1500	1800	NU1052M	29. 1
260	400	65	4	4	296		645	1000	1500	1800	NUP1052M	37. 2
260	480	80	5	5	320		985	1800	1100	1400	NU252M	67. 2
260	480	82	5	5	294		1100	1800	1100	1400	NU2052EM	40. 5
260	480	130	5	5	320		1710	2770	900	1200	NU2252M	111
260	540	102	6	6	336		1540	2090	900	1200	NU352M	118
260	540	165	6	6	336		2230	3350	900	1200	NU2352M	190
280	350	42	2	2	299		325	705	1800	2200	NU2856M	9. 16
280	350	52	2	1. 1	298		435	985	1700	2000	NU3856M	11. 6
280	380	46	2. 1	2. 1	306		450	815	1800	2200	NU1956M	15. 2
280	380	60	2. 1	2. 1	307		575	1150	1500	1800	NU2956M	20. 2
280	420	65	4	4	316		660	1050	1400	1700	NU1056M	30. 8
280	420	65	4	4	316		660	1050	1400	1700	NJ1056M	32. 2
280	500	80	5	5	340		1140	1680	1000	1300	NU256M	70. 7
280	500	130	5	5	340		1770	2950	900	1200	NU2256M	117
280	580	175	6	6	362		2570	3950	900	1200	NU2356M	236
300	420	56	3	3	332		555	975	1600	2000	NU1960M	24. 4
300	420	72	3	3	332		725	1370	1400	1700	NU2960M	30. 3
300	460	74	4	4	340		885	1400	1200	1500	NU1060M	44. 9
300	460	74	4	4	340		885	1400	1200	1500	NJ1060M	46. 3
300	540	85	5	5	364		1400	2070	1000	1300	NU260M	86. 9
300	540	85	5	5	364		1400	2070	1000	1300	NUP260M	90
300	540	140	5	5	365		1960	3200	900	1100	NU2260M	145
300	620	109	7. 5	7. 5	385		2200	3350	900	1100	NU360M	166
320	440	56	3	3	352		580	1050	1100	1400	NU1964M	25. 7
320	440	72	3	3	352		755	1470	1100	1400	NU2964M	33. 5
320	480	74	4	4	360		905	1470	1100	1400	NU1064M	47. 8
320	480	74	4	4	360		905	1470	1100	1400	NJ1064M	47. 8
320	480	74	4	4	360		905	1470	1100	1400	NUP1064M	49. 1
320	540	176	5	5	374		2740	4700	800	1200	NU3164M	170
320	580	92	5	5	390		1540	2270	900	1200	NU264M	112
320	580	150	5	5	390		2260	3700	900	1200	NU2264M	181
340	420	48	2. 1	1. 5	362		435	1010	1200	1500	NU2868M	14. 9
340	420	60	2. 1	2. 1	362		515	1250	1200	1500	NU3868M	18. 6
340	460	56	3	3	372		600	1120	1100	1400	NU1968M	27. 1
340	460	72	3	3	370		780	1570	1100	1400	NU2968M	33. 7
340	520	82	5	5	385		1080	1740	1000	1300	NU1068M	61. 8

340	580	190	5	5	399		3500	6250	700	1000	NU3168M	214
340	620	92	6	6	420		1590	2410	900	1200	NU268M	128
360	480	56	3	3	392		605	1160	1200	1500	NU1972M	28. 8
360	480	72	3	3	392		790	1630	1000	1300	NU2972M	36. 7
360	540	82	5	5	405		1110	1830	900	1100	NU1072M	64. 1
360	650	95	6	6	445		1650	2560	900	1100	NU272M	144
360	650	170	6	6	435		3500	6050	800	100	NU2272M	258
360	750	224	7. 5	7. 5	455		4950	8700	700	850	NU2372M	480
380	480	60	2. 1	2. 1	406		550	680	950	1200	NUP2876Q1	27. 0
380	520	65	4	4	418		775	1470	950	1200	NU1976M	41. 2
380	560	82	5	5	425		1140	1910	950	1200	NU1076M	67. 5
380	560	135	5	5	433		1740	3600	850	1000	NU3076M	117
380	620	194	5	5	440		3350	6400	850	1000	NU3176M	238
380	680	95	6	6	470		1700	2700	850	1000	NU276M	158
380	680	175	6	6	460		3100	5250	750	900	NU2276M	290
400	500	75	2. 1	2. 1	427		785	1900	1000	1200	NU3880M	34. 2
400	540	65	4	4	438	502	785	1520	1000	1200	NU1980M	43
400	540	82	4	4	438	502	1060	2250	900	1100	NU2980M	54. 9
400	600	90	5	5	450	550	1360	2280	900	1100	NU1080M	88. 2
400	600	90	5	5	450	550	1360	2280	900	1100	NJ1080M	90. 6
400	600	148	5	5	458	548	2150	4450	800	950	NU3080M	150
400	720	185	6	6	485		4300	7800	800	950	NU2280	344
420	520	75	2. 1	2. 1	447		800	1990	900	1100	NU3884M	35. 4
420	560	65	4	4	458		830	1660	900	1100	NU1984M	45. 0
420	560	65	4	4	458		830	1660	900	1100	NJ1984M	47. 4
420	560	82	4	4	458	522	1080	2320	900	1100	NU2984M	58. 2
420	620	90	5	5	470	570	1390	2380	900	1100	NU1084	91. 7
420	620	150	5	5	478	568	2190	4600	750	900	NU3084	158
420	760	195	7. 5	7. 5	515		4400	8200	750	900	NU2284	406
440	600	95	4	4	484		1300	2760	900	1100	NU2988	79. 9
440	650	94	6	6	493		1470	2530	850	1000	NU1088	105
440	720	226	6	6	508		4750	9800	700	850	NU3188	374
440	790	200	7. 5	7. 5	530		4850	8650	700	850	NU2288	446
460	620	74	4	4	500		1170	2260	800	950	NU1992	63. 2
460	620	95	4	4	502		1650	2930	800	950	NU2992	83. 1
460	620	95	4	4	502		1650	2930	800	950	NUP2992	85. 0
460	680	100	6	6	516		1580	2740	800	950	NU1092	123
460	680	163	6	6	523		2570	5400	600	750	NU3092	207
460	760	240	7. 5	7. 5	531		4950	10400	400	480	NU3192	467
460	830	212	7. 5	7. 5	560		4500	7900	400	480	NU2292	521
480	650	78	5	5	525		1200	2390	400	480	NU1996	75. 0
480	650	100	5	5	525		1600	3450	400	480	NU2996	98. 5
480	700	100	6	6	536		1620	2860	400	480	NU1096	125
480	700	165	6	6	543		2620	5600	400	480	NU3096	217
500	670	78	5	5	544		1190	2120	750	900	NU19/500	79. 0
500	670	100	5	5	543		1870	4300	750	900	NU29/500	101
500	670	128	5	5	543		2060	4960	700	850	N39/500E	135
500	720	100	6	6	556		1660	2970	670	800	NU10/500	131
500	720	128	6	6	553		2720	5600	630	750	NU20/500	180
500	720	167	6	6	554		3500	7650	600	700	NU30/500	232
500	830	264	7. 5	7. 5	576		6200	1100	500	600	NU31/500E	595
500	920	185	7. 5	7. 5	604		5180	8450	560	670	NU12/500	585
530	650	72	3	3		622	1160	2800	750	900	NF28/530	52. 2
530	650	72	3	3	560. 5		1170	2750	750	900	NJ28/530	52. 0
530	710	82	5	5	575		1460	2910	750	900	NU19/530	92. 0
530	710	106	5	5	573		2180	4600	750	900	NU29/530	119
530	710	106	5	5	573		2180	4600	700	850	NUP29/530	125
530	780	112	6	6	593		2200	4050	670	800	NU10/530	190
530	780	145	6	6	591		3500	7100	560	670	NU20/530	255
530	780	185	6	6		724	4000	8200	560	670	N30/530	310
530	870	272	7. 5	7. 5		801	6500	11200	480	560	N31/530	680
530	980	355	9. 5	9. 5	645		9150	17400	420	520	NU32/530	1230
560	680	56	3	3	591		780	1750	700	850	NJ18/560	44. 5

560	680	72	3	3	594		985	2610	700	850	NU28/560	55.6
560	750	85	5	5	608		1510	3100	670	800	NU19/560	110
560	820	115	6	6	625		2120	3980	630	750	NU10/560	210
560	820	115	6	6	625		2120	3980	630	750	NJ10/560	210
560	820	150	6	6	626		3650	6890	530	630	NU20/560	290
560	1030	206	9.5	9.5	668		6970	10200	480	560	NU12/560	805
600	730	60	3	3	632		865	1990	670	800	NU18/600	50.5
600	730	78	3	3	635		1180	3050	670	800	NU28/600	68.0
600	800	90	5	5	655		1590	3400	630	750	NU19/600	130
600	800	90	5	5	655		1590	3400	630	750	NUP19/600	140
600	800	90	5	5	655		1590	3400	630	750	NF19/600	135
600	800	118	5	5	649		2760	6500	630	750	NU29/600	157
600	800	118	5	5	649		2760	6500	630	750	NUP29/600	165
600	870	118	6	6	661		2650	5050	600	700	NU10/600	245
600	870	155	6	6	661		3970	7800	500	600	NU20/600	325
600	870	200	6	6		814	4890	9860	500	600	N30/600	415
630	780	88	4	4		743	1460	3780	630	750	N28/630	100
630	780	88	4	4	668		1460	3780	630	750	NU28/630	98.0
630	780	112	4	4		745	2100	5400	560	670	N38/630	120
630	780	112	4	4		745	2100	5400	560	670	NF38/630	125
630	850	100	6	6	688		1850	3900	600	700	NU19/630	160
630	850	128	6	6	683		3100	6800	600	700	NU29/630	220
630	850	128	6	6	683		3100	6800	600	700	NUP29/630	230
630	920	128	7.5	7.5	702		3200	6000	450	530	NU10/630	285
630	920	128	7.5	7.5	702		3200	6000	450	530	NUP10/630	285
630	920	170	7.5	7.5	699		4500	9000	480	560	NU20/630	285
630	920	212	7.5	7.5	699		6230	1420	450	530	NU30/630	490
670	820	69	4	4	708		1190	2540	560	670	NJ18/670	84.5
670	820	88	4	4	711		1500	3950	560	670	NU28/670	103
670	820	112	4	4	711		1920	5200	530	630	NU38/670	128
670	900	103	6	6	728		2100	4500	530	630	NU19/670	195
670	900	103	6	6	728		2100	4500	530	630	NUP19/670	195
670	980	136	7.5	7.5	747		3500	5890	430	500	NU10/670	350
670	980	180	7.5	7.5	746		5160	9800	430	500	NU20/670	480
670	980	230	7.5	7.5	744	914	6420	12100	430	500	NU30/670	600
710	870	74	4	4	750		1400	3080	530	630	NU18/710	97.5
710	870	95	4	4		831	1870	4650	530	630	N28/710	130
710	950	106	6	6	770		2350	5500	500	600	NU19/710	214
710	950	140	6	6	766		3450	8400	500	600	NU29/710	295
710	950	140	6	6	766		3450	8400	500	600	NUP29/710	300
710	1030	140	7.5	7.5	778		4500	8500	430	500	NU10/710	415
710	1030	185	7.5	7.5	787		5600	11200	400	480	NU20/710	540
750	920	78	5	5	794		1240	3240	500	600	NU18/750	110
750	920	100	5	5	797		1860	5000	500	600	NU28/750	145
750	1000	112	6	6		943	2600	5760	480	560	NF19/750	265
750	1090	150	7.5	7.5	832		4650	8600	360	430	NU10/750	490
750	1090	195	7.5	7.5	832		6700	13800	360	430	NU20/750	635
800	980	82	5	5	848		1650	3980	450	530	NJ18/800	145
800	980	136	5	5	848		2530	7050	400	480	NU38/800	219
800	1060	115	6	6	870		2760	6150	430	500	NU19/800	282
800	1060	150	6	6	873		3550	8570	400	480	NU29/800	385
850	1030	106	5	5	900		2130	5950			NU28/850	183
850	1120	118	6	6	925		2780	6350			NU19/850	320
850	1120	155	6	6	917		4450	10500			NU29/850	426
900	1090	85	5	5	949		1890	4500			NU18/900	170
900	1090	112	5	5	950		2580	7100			NU28/900	217
900	1090	140	5	5	950		2990	8600			NU38/900	269
900	1180	165	6	6	969		5000	11000			NU29/900	560
950	1250	175	7.5	7.5	1024		5160	12000			NU29/950	584
1000	1220	100	6	6	1053		2550	6060			NU18/1000	265
1000	1220	128	6	6	1058		3200	8850			NU28/1000	319
1000	1220	128	6	6		1165	3220	8880			NF28/1000	350
1000	1220	128	6	6	1053		3220	8880			NJ28/1000	345

1060	1280	128	6	6	1225		3450	10200			N28/1060	360
1060	1280	165	6	6	1120		3750	11300			NU38/1060	427
1060	1400	195	7.5	7.5	1142		6900	16700			NU29/1060	870
1060	1400	250	7.5	7.5	1146		8900	23900			NU39/1060	1070
1120	1360	106	6	6	1182		3400	8500			NJ18/1120	335
1120	1360	140	6	6		1296	3880	10200			N28/1180	465
1120	1360	180	6	6	1180		5700	17300			NU38/1120	547
1180	1420	106	6	6	1242		2960	7180			NJ18/1180	350
1180	1540	206	7.5	7.5	1258		8800	20200			NUP29/1180	1090
1180	1540	272	7.5	7.5		1466	10800	27800			N39/1180	1400
1200	1520	185	7.5	7.5	1270		7300	18400			NU6/1200	797
1250	1630	170	7.5	7.5	1350		6300	15400			NU19/1250	952
1250	1750	290	9.5	9.5		1635	12600	30200			N20/1250	2320
1320	1600	122	6	6	1395		3650	9070			NU18/1320	530
1320	1600	122	6	6	1395		3650	9070			NUP18/1320	560
1320	1720	175	7.5	7.5	1424		7000	17100			NU19/1320	1100
1320	1720	230	7.5	7.5	1420		10400	28800			NU29/1320	1480
1320	1720	300	7.5	7.5	1410		128000	32500			NU39/1320	1950
1320	1850	400	12	12		1737	20400	52200			N30/1320	3550
1400	1700	175	7.5	7.5		1637	6600	18300			N28/1400EM	860